

Final Filters / Clean Room

Separator High Temperature HEPA Filters

Material Overview

- ◆ High efficiency
- ◆ Max operating temperature

Application


- ◆ Paint bake over and other high temperature applications



Standard

EN1822	H13
Filter Depth (Inches)	6", 12" (Standard)
Media Type	Glass Fiber
Frame Material	Stainless Steel
Separator Style	Aluminum
Gasket Material	Red Silicone
Sealant	Red Silicone
Header Type	Box Type
Rec. Final Resistance	2x Initial pressure drop
Max Operating Temperature	150°C ~ 350°C

Initial Resistance Vs Airflow



Product Details

Model	Nominal Size Inches (H x W x D)	Actual Size mm (H x W x D)	Rated Airflow (CMH)	Rated Initial Resistance (Pa)
Standard Capacity H13 Efficiency ≥ 99.995% at 0.3µm				
BC	12 x 24 x 6	305 x 610 x 150	510	250
	24 x 24 x 6	610 x 610 x 150	1,020	
	12 x 24 x 12	305 x 610 x 292	890	
	24 x 24 x 12	610 x 610 x 292	1,900	
High Capacity H13 Efficiency ≥ 99.995% at 0.3µm				
BC	12 x 24 x 12	305 x 610 x 292	1,700	336
	24 x 24 x 12	610 x 610 x 292	3,400	

* Other dimensions are available on request *

TOBERO PTE LTD

25 KAKI BUKIT ROAD 4, #07-49/50 SYNERGY
SINGAPORE 417800
TEL: 6749 0933 FAX: 6741 9550